

FIG. 2

EXAMPLES OF PROGRAM INFORMATION

TITLE=SEINFELD PROGRAM TYPE=SITCOM CATEGORY=COMEDY ACTORS=(ACTOR1, ACTOR2) TITLE=US DEBT REPORT PROGRAM TYPE=NEWS ARTICLE CATEGORY=US GOVT. FINANCIAL PEOPLE MENTIONED=(BILL CLINTON, ALAN GREENSPAN)

EXAMPLE 1 124

FIG. 3

EXAMPLE 2

127

EXAMPLES FOR TRAITS

MOVIE **ADVENTURE SPORTS** MAD ABOUT YOU DYNAMIC TRAIT 1 DYNAMIC TRAIT 2 NBC NEWS FRIDAY MOVIE PREMIER MAD ABOUT YOU EXAMPLES FOR LIKING FOR VIEWER N

MOVIE=14 ADVENTURE=3 SPORTS=0.3 MAD ABOUT YOU=5 DYNAMIC TRAIT 1=3 DYNAMIC TRAIT 2=5 NBC NEWS=13 FRIDAY MOVIE=18 PREMIER MAD ABOUT YOU-15

FIG. 4

SOME SAMPLE VALUES FOR FIELDS IN TRAIT RECORD

TRAIT TYPE

126

STATIC DYNAMIC ASSOCIATION **GENERATED**

TRAIT DESCRIPTION

(NBC, "NEWS").

SUBSTRING("CIA")IN DESC.

TITLE

DISTRIBUTION

NORMAL EXPONENTIAL DEFINED TYPE 1 DEFINED TYPE 2 DISTRIBUTION PARAMETERS

MEAN=13. DEVIATION=2

FIG. 11




FIG. 5A









FIG. 5B

















FIG. 13

EXAMPLE FOR BROADCASTING TRAITNESS AS A PART OF EPG DATA

PROGRAM INFO

SEINFELD, NBC,

COMEDY=0.07


SITCOM,


DYNAMIC TRAIT 1=0.1


:


ACTOR=SEINFELD























FIG. 18B


COMPUTING SCORES FOR PROGRAMS FOR FUTURE PREDICTION







DISTRIBUTION OF INCOME IN SAMPLE







FIG. 21A



SYSTEM ARCHITECTURE






FIG. 22

DEMOGRAPHIC TRAIT RECORD FORMAT











FIG. 27










(TO SCRAMBLERS)

BEGINNING STATION FLAG ADDRESS 1 BYTE 1 BYTE	CONTROL 1 BYTE	INFORMATION FIELD n BYTES	FRAME CHECK 2 BYTES	ENDING
--	-------------------	---------------------------------	---------------------------	--------


FIG. 31








PROCESS FOR AUTOMATICALLY CREATING MULTIPLE PROFILES AND AUTOMATICALLY IDENTIFYING CURRENTLY ACTIVE PROFILES



PROCESS FOR GENERATING MULTIPLE PROFILES



CHANNEL CHANGE 38720100 38720110 **NBC**

B) FORMAT OF USER ACTION RECORD

B) EXAMPLE OF USER ACTION RECORD

NUMBER OF ACTION RECORDS

ACTION RECORD 1

ACTION RECORD 2

ACTION RECORD N

NUMBER OF ACTION RECORDS

ACTION RECORD 1

ACTION RECORD 2

ACTION RECORD N

C) FORMAT OF HISTORY DATABASE

D) FORMAT OF USAGE PATTERN RECORD

FIG. 37

PROCESS FOR PREDICTING CURRENTLY ACTIVE PROFILES

GROUP CURRENT USER ACTION RECORDS TO FORM CURRENT USAGE PATTERN RECORD


MAP THE CURRENT USAGE PATTERN RECORDS TO A POINT IN THE N-DIMENSIONAL CLUSTER SPACE

COMPUTE THE POSTERIOR AND PRIOR PROBABILITIES


COMPUTE THE PROBABILITY OF EACH CLUSTER CURRENTLY BEING ACTIVE.

FIG. 40

E E



A) ONE METHOD FOR CREATING USAGE PATTERN



B) ONE METHOD FOR CREATING USAGE PATTERN




FIG. 39

PROFILE CREATION USING GENERATED CLUSTERS


FOR EACH USAGE
PATTERN RECORD IN THE
HISTORY DATABASE

COMPUTE THE ACTIVE CLUSTERS AND THE MIXTURE WEIGHTS FOR THE USAGE PATTERN RECORD

FIG. 41

USE THE COMPUTED MIXTURE WEIGHTS
OF THE USAGE PATTERN RECORD
TO PROPORTIONATELY UPDATE
EACH OF THE PROFILES

TARGETED ELECTRONIC CONTENT DISTRIBUTION
WITHOUT COMPROMISING PRIVACY OF USERS



OPERTAR OF OPOR




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48






FIG. 49










FIG. 51



+



+45